



Kawasaki KX 250 F DOHC 4v

Effective October 2020
Prices Subject To Change
Without Notice!

VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
.415/.383	269°/277°	243°/253°	45/227	High lift race profile designed to increase mid and upper end performance. Requires Exhaust System, High Compression Piston, Larger Diameter Followers, and Performance Valve Spring Kit. Check ALL clearances! Price Per Set (2).	N/A	60-951 \$634.00	N/A
.376/.355	270°/276°	244°/252°	536/187	Race profile designed to increase mid and upper end performance. Requires Exhaust System, High Compression Piston, Performance Valve Spring Kit, and Larger Diameter Exhaust Followers. Price Per Set (2).	N/A	61-251 \$634.00	N/A
.376/.340	270°/260°	244°/236°	536/298	Designed to increase mid and upper end performance. Requires Performance Valve Spring Kit, High Compression Piston, and Exhaust System. Price Per Set (2).	N/A	60-941 \$634.00	N/A
.368/.330	264°/252°	235°/226°	151i/577	Excellent torque profile. Requires Performance Valve Spring Kit, PRO Buckets, High Compression Piston, and Exhaust System. Price Per Set (2).	N/A	60-931 \$634.00	N/A
.360/.340	264°/260°	242°/236°	297/298	Performance profile designed to increase overall performance. Requires PRO Buckets, Performance Valve Spring Kit, High Compression Piston, and Exhaust System. Price Per Set (2).	N/A	60-921 \$634.00	N/A
Cam Core	Please specify year and model when ordering. Price Per Set (2).						CC-K23 \$305.00
Buckets, Shim Under (Kroyer) Intake Standard Size	26.5 mm Price (Each).						CF-K15 \$55.00

If installing titanium valves we highly recommend nickel aluminum bronze seats.
Oversized tappets available, please call us directly for further details. Machining required.



Kawasaki KX 250 F DOHC 4v

Effective October 2020
Prices Subject To Change
Without Notice!

VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
				Buckets, Shim Under (Kroyer) PRO DLC Coated Intake Standard Size	26.5 mm	Price (Each).	CF-K13 \$85.00
				Buckets, Shim Under (Kroyer) Exhaust Standard Size	24 mm.	Price (Each).	CF-K16 \$55.00
				Buckets, Shim Under (Kroyer) PRO DLC Coated Exhaust Standard Size	24 mm	Price (Each).	CF-K14 \$85.00
				Buckets, Shim Under (Supertech)	26.5 mm x 19 mm x 2.7 mm	Price (Each).	CF-C39 \$40.00
				Buckets, Shim Under (Supertech) Standard Size	24 mm x 17 mm x 2.7 mm.	Price (Each).	CF-C31 \$40.00
				Valve Spring Kit With Titanium Retainers	Kit includes performance dual PSI springs, Titanium retainers, and bottoms. OK to .415 valve lift. Price Per Set (4).		VC-K14 \$465.00
				Valves, Stainless (Kibblewhite) Intake Oversized +1 mm	Oversized to 32 mm.	Price (Each).	OV-K25 \$38.00

If installing titanium valves we highly recommend nickel aluminum bronze seats.
Oversized tappets available, please call us directly for further details. Machining required.



Kawasaki KX 250 F DOHC 4v

Effective October 2020
Prices Subject To Change
Without Notice!

VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
Valves, Stainless (Kibblewhite) Intake Standard Size				Standard size 31 mm. Price (Each).			IV-K25 \$30.00
Valves, Stainless (Kibblewhite) Exhaust Oversized +1 mm				Oversized to 26 mm. Price (Each).			OV-K26 \$38.00
Valves, Stainless (Kibblewhite) Exhaust Standard Size				Standard size 25 mm. Price (Each).			EV-K26 \$38.00
Valves, Titanium (Kibblewhite) Intake Oversized +1 mm				Oversized to 32 mm. Price (Each).			IV-K27 \$100.00
Valves, Titanium (Kibblewhite) Intake Standard Size				Standard size 31 mm. Price (Each).			IV-K26 \$75.00
Valves, Titanium (Kibblewhite) Exhaust Oversized +1 mm				Oversized to 26 mm. Price (Each).			EV-K28 \$160.00
Valves, Titanium (Kibblewhite) Exhaust Standard Size				Standard size 25 mm. Price (Each).			EV-K27 \$75.00

If installing titanium valves we highly recommend nickel aluminum bronze seats.
Oversized tappets available, please call us directly for further details. Machining required.



Kawasaki KX 250 F DOHC 4v

Effective October 2020
Prices Subject To Change
Without Notice!

VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
Valve Guide, Shortened Standard Size	0.140"	Intake	Standard	Made from special C630 Bronze material for longer wear. Standard size. Adds additional retainer to guide seal clearance. Custom sizes available +.001, +.002, +.004, +.010. Price (Each).			VG-K03 \$30.00
Valve Guide, Shortened Standard Size	0.095" (IN), 0.080" (EX)			Made from special C630 Bronze material for longer wear. Standard size. Adds additional retainer to guide seal clearance. Custom sizes available +.001, +.002, +.004, +.010. Price (Each).			VG-K00 \$30.00

If installing titanium valves we highly recommend nickel aluminum bronze seats.
Oversized tappets available, please call us directly for further details. Machining required.