



Suzuki GSXR 750 DOHC 16v

Effective October 2020
Prices Subject To Change
Without Notice!

VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
.424/.410	287°/268°	262°/246°	257/263	Racing profile for large displacement 1400cc+. Requires Exhaust System, Extended Rockers, High Compression Piston, Shortened Valve Guides, and Performance Valve Spring Kit. Price Per Set (2).	N/A	70-801 \$701.00	70-802 \$713.00
.424/.424	272°/272°	248°/248°	267	High lift, short duration profile designed for drag race application. Requires Exhaust System, Extended Rockers, High Compression Piston, Shortened Valve Guides, and Performance Valve Spring Kit. Price Per Set (2).	N/A	70-391 \$701.00	70-392 \$713.00
.404/.404	281°/281°	256°/256°	213	Race profile designed for increased mid and upper end performance. Requires Exhaust System, Extended Rockers, High Compression Piston, Shortened Valve Guides, and Performance Valve Spring Kit. Price Per Set (2).	N/A	70-361 \$701.00	70-362 \$713.00
.395/.395	280°/280°	256°/256°	479	Good mid and upper end performance for large displacement racing engines. Requires Exhaust System, Extended Rockers, High Compression Piston, Shortened Valve Guides, and Performance Valve Spring Kit. Price Per Set (2).	N/A	70-531 \$701.00	70-532 \$713.00
.384/.325	280°/270°	246°/240°	29i/29e	Road race profile. Requires Exhaust System, Extended Rockers, High Compression Piston, Shortened Valve Guides, and Performance Valve Spring Kit. Price Per Set (2).	N/A	71-411 \$701.00	71-412 \$713.00
.379/.379	281°/281°	256°/256°	202	Good mid and upper end performance for large displacement racing engines. Requires Exhaust System, Extended Rockers, High Compression Piston, Shortened Valve Guides, and Performance Valve Spring Kit. Price Per Set (2).	N/A	70-381 \$701.00	70-382 \$713.00
.379/.370	281°/270°	256°/246°	202/236	Good mid and upper end performance for large displacement racing engines. Requires Exhaust System, Extended Rockers, High Compression Piston, and Performance Valve Spring Kit. Price Per Set (2).	N/A	71-401 \$701.00	71-402 \$713.00

TECH TIPS:

We recommend to degree in all profiles. See cam degreing kit part AP-144. It is very important that you check retainer to guide seal clearance, minimum 0.030". Must be checked with cams over 0.380" valve lift. New or hardened rocker arms are required with ALL profiles!



Suzuki GSXR 750 DOHC 16v

Effective October 2020
Prices Subject To Change
Without Notice!

VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
.370/.370	270°/270°	246°/246°	236	Improves mid and upper end performance. Hot street-strip. Requires Exhaust System, Hardwelded Rockers, High Compression Piston, and Performance Valve Spring Kit. Price Per Set (2).	N/A \$501.00	70-331 \$701.00	70-332 \$713.00
.370/.330	270°/266°	246°/240°	236/223	Offers increased mid and upper end power for 750cc road racing. Requires Exhaust System, Hardwelded Rockers, and Performance Valve Spring Kit. Price Per Set (2).	N/A \$501.00	70-341 \$701.00	70-342 \$713.00
.362/.330	255°/265°	230°/240°	453/223	Turbo profile increases performance throughout the RPM. Requires Exhaust System, Hardwelded Rockers, and Performance Valve Spring Kit. Price Per Set (2).	N/A	70-791 \$701.00	70-792 \$713.00
.330/.330	266°/266°	240°/240°	223	Bolt in performance cams for stock 750cc. Requires Exhaust System, and Hardwelded Rockers. Price Per Set (2).	N/A \$501.00	70-191 \$701.00	70-192 \$713.00
Cam Gear, Adjustable (Fits 87, 90-92)				Use with all WEB CAM profiles for precise engine tuning. Fits GSXR 750 (1987, 1990-1992) Price Per Set (2).			CG-S75 \$70.00
Cam Gear, Adjustable				Use with all WEB CAM profiles for precise engine tuning. Fits GSXR 750J (1988-1989), and GSXR 1100 (1985-1992). Price Per Set (2).			CG-S10 \$70.00
Chain Tensioner, Manual				CNC machined from billet alloy to exact tolerances for perfect fit. This tensioner can not back out allowing the cam chain to jump the sprockets as the auto adjusters have been known to do. Price (Each).			CT-S03 \$65.00

TECH TIPS:

We recommend to degree in all profiles. See cam degreing kit part AP-144. It is very important that you check retainer to guide seal clearance, minimum 0.030". Must be checked with cams over 0.380" valve lift. New or hardened rocker arms are required with ALL profiles!



Suzuki GSXR 750 DOHC 16v

Effective October 2020
Prices Subject To Change
Without Notice!

VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
				Rocker Arm Hardwelded			We will hardweld and precision grind your worn out / new rockers for a longer wearing surface. Recommended with ALL profiles. Price (Each). HR-S11 \$72.00
				Rocker Arm, Extended Hardwelded			We will hardweld and precision grind your worn out / new rockers for a longer wearing surface. Recommended with ALL profiles. These rockers have been extended to accept high lift profiles. Price (Each). ER-S11 \$83.00
				Rocker Arm, Core			Please specify year and model when ordering. Price (Each). RC-S01 \$39.00
				Adjusting Screws, Extended			Some cams have a reduced base circle size and do not require longer adjusting screws. Kit includes adjusting tool. Price Per Set (16). AS-S00 \$105.00
				Retainers, Titanium			Fits GSXR 750 / 1100. Use with VS-S30. Light weight CNC machined. Price Per Set (16). RT-S14 \$265.00
				Valve Springs Only			Performance dual valve springs. Can be used with stock retainers or RT-S14. OK to .440" Lift. Price Per Set (16). VS-S30 \$150.00
				Valve Guide, Shortened 0.065" Standard Size			Made from special C630 Bronze material for longer wear. Standard size. Adds additional retainer to guide seal clearance. Locating shoulder moved up 0.050". Custom sizes available +.001, +.002, +.004, +.010. Required for cams over 0.380" valve lift. Fits GSXR 750/1100 through 1992. Fits intake and exhaust. Price (Each). VG-S12 \$15.75

TECH TIPS:

We recommend to degree in all profiles. See cam degreing kit part AP-144. It is very important that you check retainer to guide seal clearance, minimum 0.030". Must be checked with cams over 0.380" valve lift. New or hardened rocker arms are required with ALL profiles!



Suzuki GSXR 750 DOHC 16v

Effective October 2020
Prices Subject To Change
Without Notice!

VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
Valve Seals High Temp				High temperature valve stem seals operate at a higher temperature than other seal materials. The seals retain pliability in situations where other materials would become hard and lose their sealing capability. Price Per Set (16).			VS-S03 \$60.00

TECH TIPS:

We recommend to degree in all profiles. See cam degreing kit part AP-144. It is very important that you check retainer to guide seal clearance, minimum 0.030". Must be checked with cams over 0.380" valve lift. New or hardened rocker arms are required with ALL profiles!