



Polaris RZR 900 DOHC 8v

Effective July 2022
Prices Subject To Change
Without Notice!

Custom grinding available for this model, please call the factory direct.

VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
.435/.415	278°/269°	254°/243°	796/45	Race profile designed for extreme acceleration with added mid and upper end performance. Reduced base circles applied to this profile, Longer valves / additional shimming is required. Requires Exhaust System, High Compression Piston, and Performance Valve Spring Kit. Check ALL clearances! Price Per Set (2).	N/A	56-261 \$825.00	N/A \$875.00
.415/.360	269°/264°	243°/242°	45/297	Increases mid and upper end performance. Requires Exhaust System, High Compression Piston, and Performance Valve Spring Kit. Check ALL clearances! Price Per Set (2).	N/A	56-231 \$825.00	N/A \$875.00
.390/.360	250°/242°	224°/215°	1170/1171	Performance profile designed to increase overall power. Requires Exhaust System, and Performance Valve Spring Kit. Check ALL clearances! Price Per Set (2).	N/A	56-241 \$825.00	N/A \$875.00
.385/.360	259°/248°	234°/226°	1096/293	Performance profile designed to increase overall power. Requires Exhaust System, High Compression Piston, and Performance Valve Spring Kit. Check ALL clearances! Price Per Set (2).	N/A	56-251 \$825.00	N/A \$875.00
.382/.382	249°/249°	224°/224°	516	Performance profile for turbo / and non turbo applications. Requires Exhaust System, and Performance Valve Spring Kit. Check ALL clearances! Price Per Set (2).	N/A	56-211 \$825.00	N/A \$875.00
Cam Core	Please specify year and model when ordering. Price Per Set (2).						CC-P06 \$555.00
Buckets, Shim Under (Supertech) DLC Coated Standard Size	Recommended with all profiles. If using these tappets in the (2013 -2014) Polaris RZR 900 and the (2014) Polaris RZR XP 1000 you must use the our spring kits. This will allow to convert to a 9.5 mm shim adjustment system. Also can be used in the RZR 570 engines. Price (Each).						CF-P03 \$70.00



Polaris RZR 900 DOHC 8v

Effective July 2022
Prices Subject To Change
Without Notice!

Custom grinding available for this model, please call the factory direct.

VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
				Buckets, Shim Under (Supertech) Standard Size	Recommended with all profiles. If using these tappets in the (2013 -2014) Polaris RZR 900 and the (2014) Polaris RZR XP 1000 you must use the our spring kits. This will allow to convert to a 9.5 mm shim adjustment system. Also can be used in the RZR 570 engines. Price (Each).		CF-P02 \$35.00
				Chain Tensioner, Manual PRO Series	This was designed for the racer who frequently adjust his engine. The easy-access socket head adjuster screw is perfect for tight spaces. The interior o-ring design ensures that repeated adjustments will not eventually flatten the o-ring against the jam nut. The PRO Series design features an internal o-ring and custom-machined adjuster bolt. The bolt is broached with a 4 mm hex.CNC designed from billet alloy to exact tolerances. Does not fit RZR 900 / 1000 2017 and up models. Price (Each)		CT-P01 \$120.00
				Valve Spring Kit With CrMo Retainers	Kit includes performance single beehive valve springs, chrome moly retainers. OK to .480" Valve Lift. Can be used for turbo applications. Shim under-style kit. Price Per Set (8).		VC-P35 \$375.00
				Valves, Stainless (Kibblewhite) Intake Oversized +1 mm	Oversized to 38.72 mm. Price (Each).		IV-P04 \$40.00
				Valves, Stainless (Ferrea) Intake Oversized +1 mm	Oversized to 38.8 mm. Price (Each).		IV-P06 \$42.00
				Valves, Stainless (Kibblewhite) Intake Standard Size	Standard size 37.72 mm. Price (Each).		IV-P03 \$40.00



Polaris RZR 900 DOHC 8v

Effective July 2022
Prices Subject To Change
Without Notice!

Custom grinding available for this model, please call the factory direct.

VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
				Valves, Stainless (Ferrea) Intake Standard Size Standard size 37.8 mm. Price (Each).			IV-P05 \$42.00
				Valves, Stainless (Kibblewhite) Exhaust Oversized +1 mm Oversized to 33.44 mm. Price (Each).			EV-P04 \$40.00
				Valves, Stainless (Ferrea) Exhaust Oversized +1 mm Oversized to 33.5 mm. Price (Each).			EV-P06 \$42.00
				Valves, Stainless (Kibblewhite) Exhaust Standard Size Standard size 32.44 mm. Price (Each).			EV-P03 \$40.00
				Valves, Stainless (Ferrea) Exhaust Standard Size Standard size 32.5 mm. Price (Each).			EV-P05 \$42.00
				Valve Seals Blue Viton, (Top Hat Style) Whenever you are using the factory valve guide seals (hat-style) we are now offering these after-market replacements. Made from Blue Viton Material for better wear resistance with good flexibility. Price Per Set (8).			VS-P06 \$49.60
				Cylinder Head Stud Kit KPMI Cylinder studs are made from 180,000 psi yield strength, fine grain, heat treated, aircraft grade alloy steel. The threads are "rolled", heat treated and then are centerless ground the entire body of the stud. These studs are encased with premium corrosion resistance treatment of Black Oxide. Kit includes 6 HT Steel Studs, 6 HT Steel Nuts, and 6 HT Steel Washers. Price Per Set (6).			CB-011 \$138.00