

VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
.430/.351	292°/294°	260°/255°	415/416	The "MYSTO" cam designed for race use ONLY. Works good for big bore applications. Requires Exhaust System, High Compression Piston, Larger Diameter Followers, Shortened Valve Guides, and Performance Valve Spring Kit. Check ALL clearances!	N/A	N/A	57-072 \$605.00
.417/.342	284°/300°	261°/264°	242/921	Race profile. A WEB CAM winner! Requires Exhaust System, High Compression Piston, Larger Diameter Followers, Shortened Valve Guides, and Performance Valve Spring Kit. Check ALL clearances!	N/A	N/A	57-192 \$605.00
.415/.408	278°/276°	252°/248°	493/739	High lift, short duration racing profile. Excellent throttle response. Requires Exhaust System, High Compression Piston, Larger Diameter Followers, Shortened Valve Guides, and Performance Valve Spring Kit. Check ALL clearances!	N/A	N/A \$0.00	55-442 \$605.00
.415/.342	278°/288°	252°/252°	493/729	Performance profile designed to increase mid and upper end. Requires Exhaust System, High Compression Piston, Larger Diameter Followers, Shortened Valve Guides, and Performance Valve Spring Kit.	N/A	N/A \$0.00	55-462 \$605.00
.408/.342	284°/300°	259°/264°	208/921	Race profile. Works well for TT, Super Motard or MX. Requires Exhaust System, High Compression Piston, Larger Diameter Followers, Shortened Valve Guides, and Performance Valve Spring Kit.	N/A	N/A \$0.00	57-042 \$605.00
.400/.359	268°/280°	242°/245°	1043/1044	Excellent torque profile to increase overall performance, also works excellent for short track super motard / supercross applications. Requires Performance Valve Spring Kit.	N/A	N/A	57-602 \$605.00
.400/.340	282°/288°	256°/252°	961/962	Performance profile designed to increase mid and upper end. Requires Exhaust System, High Compression Piston, and Performance Valve Spring Kit.	N/A	N/A	57-442 \$605.00



VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
.400/.323	264°/280°	238°/241°	570/993	Performance profile designed to increase overall performance. Excellent throttle response. Requires Exhaust System, High Compression Piston, and Performance Valve Spring Kit.	N/A	N/A	57-512 \$605.00
.381/.357	266°/294°	240°/258°	613/812	Excellent torque and acceleration. Not recommended for mid and upper end applications.	N/A	N/A \$0.00	57-102 \$605.00
.381/.342	266°/288°	240°/252°	613/729	Performance profile designed to increase overall performance. Great torque.	N/A	N/A	57-202 \$605.00
.355/.342	282°/300°	258°/264°	943/921	Bolt in profile increases overall performance throughout RPM range.	N/A	N/A	57-122 \$605.00
Bolts				New factory OEM Bolts to use with your adjustable cam gear. See part number CG-H14. Price Per Set (2).			CB-001 \$25.00
Cam Gear, Adjustable 36 Teeth				Adjustable gear only. For use if you already have a flange pressed on your cam. Can be used with all WEB CAM profiles for precise engine tuning. Cam bolts not included, see part CB-001. 36 teeth. Price (Each).			CG-H14 \$60.00
Chain Tensioner, Manual				CNC machined from billet alloy to exact tolerances for perfect fit. This tensioner can not back out allowing the cam chain to jump the sprockets as the auto adjusters have been known to do. In the CRF models fits (04-14). Price (Each).			CT-H08 \$130.00



VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
Chain Tens	sioner, Manua	al PRO Series		The PRO Series is designed for the racer who frequently adjust his engine. The easy-access socket head adjuster screw is perfect for tight spaces. The interior o-ring design ensures that repeated adjustments will not eventually flatten the o-ring against the jam nut. The PRO Series design features an internal o-ring and custom-machined adjuster bolt. The bolt is broached with a 4 mm hex. Does not fit CRF 450 R (02-03) models, or the TRX 450 ER 06, and the 10			CT-H03 \$130.00
Valve Sprin Rev), (Ferre		tanium Retaine	ers (High	Kit includes performance single springs, hardened bottoms, and titanium retainers. Recommend for Flat Track use and Hi-Rev applications. OK to .394" Valve Lift. Price Per Set (4).			VC-H97 \$315.00
Valve Sprin	ng Kit With Tit	tanium Retaine	ers (PM)	Kit includes performance dual springs and Titanium retainers. OK up to 0.440" valve lift. Check ALL clearances! Price Per Set (4).			VC-H74 \$210.00
Valves, Sta	inless (Ferre	a) Intake		Standard size 36 mm Honda CRF 450 R (02-08), +1 mm OS for the 450 X (05-17). Price (Each).			IV-H39 \$48.00
Valves, Sta	inless (Ferre	a) Intake Over	sized	Oversized +1 mm to 37 mm for Honda CRF 450 R (02-08), +2 mm OS for the 450 X (05-17). Price (Each).			IV-H36 \$48.00
Valves, Sta	inless (Kibble	ewhite) Intake	Oversized	Oversized +1 mm to 37 mm, +2 mm OS for the 450 X (05-17). Price (Each).			IV-H16 \$32.00
Valves, Sta	inless (Kibble	ewhite) Intake	Oversized	Oversized +2 mm to 38 mm, +3 mm OS for the 450 X (05-17). Price (Each).			IV-H19 \$77.00



VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
Valves, Sta Size	inless (Kibble	ewhite) Intake	Standard	Standard size 36 mm CRF 450 R (02-08), +1 mm OS for the 450 X (05-17). Price (Each).			IV-H15 \$32.00
Valves, Sta	inless (Ferrea	a) Exhaust O	versized	Oversized +1 mm to 32 mm for CRF 450 R (02-06), +2 mm oversize for CRF 450 (07-08), CRF 450 X (05-17), TRX 450 ER (06-14), TRX 450 R (06-09). Price (Each).			EV-H40 \$48.00
Valves, Sta Oversized	inless (Kibble	ewhite) Exhau	ıst	Oversized +1 mm to 32 mm for CRF 450 R (02-06), +2 mm oversize for CRF 450 R (07-08), CRF 450 X (05-17), TRX 450 ER (06-14), TRX 450 R (06-09). Price (Each).			EV-H16 \$77.00
Valves, Sta	inless (Ferrea	a) Exhaust St	andard Size	Standard size 30 mm. Price (Each).			EV-H54 \$48.00
Valves, Sta Size	inless (Kibble	ewhite) Exhau	ıst Standard	Standard size 30 mm. Price (Each).			EV-H07 \$32.00
Valves, Sta Oversize	inless (Ferrea	a) Exhaust Sī	ΓD /	Standard Size 31 mm for CRF 450 R (02-06), +1 mm oversize for CRF 450 R (07-08), CRF 450 X (05-17), TRX 450 ER (06-14), TRX 450 R (06-09). Price (Each).			EV-H39 \$48.00
Valves, Sta Oversize	inless (Kibble	ewhite) Exhau	ist STD /	Standard Size 31 mm for CRF 450 R (02-06), +1 mm oversize for CRF 450 (07-08), CRF 450 X (05-17), TRX 450 ER (06-14), TRX 450 R (06-09). Price (Each).			EV-H15 \$32.00



VALVE DURATION DURATION GRIN LIFT DURATION @ .050 NUMB		REGRIND	HARDWELD	BILLET
Valve Guide, Shortened 0.120" Intake Standa Size	Made from special C630 Bronze material for longer wear. Standard size. Adds additional retainer to guide seal clearance. Must use for lifts above 0.385". Custom sizes available +.001, +.002, +.004, +.010. Price (Each).			VG-H07-I \$25.00
Valve Guide, Shortened 0.095" Exhaust Stand Size	ard Made from special C630 Bronze material for longer wear. Standard size. Adds additional retainer to guide seal clearance. Must use for lifts above 0.385". Custom sizes available +.001, +.002, +.004, +.010. Price (Each).			VG-H07-E \$25.00
Valve Seals (OEM) Intake	Replacement valve guide seals. Price Per Set (2).			VS-H00 \$20.00
Valve Seals (OEM) Exhaust	Replacement valve guide seals. Price Per Set (2).			VS-H07 \$15.00